

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| L1 | 62 | "ox_id" same "rx_id" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 15:45 |
| L2 | 29 | 370/230.ccls. and switch and san and scsi | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 15:46 |
| L3 | 76 | "710"/5.ccls. and switch and san and scsi and (fibre near channel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:46 |
| L4 | 63 | "ox_id" and "rx_id" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 15:46 |
| L5 | 46 | header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (((OX_ID)" or "(RX_ID)))) with (sequence\$3 or track \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:46 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| L6 | 13 | 5 and (modif\$5 or replac\$3 or chang\$3 or alter\$3 or direct\$3 or redirect\$3) with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID"))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:47 |
| L7 | 3 | 370/392,252.ccls. and direct\$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID"))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:48 |
| L8 | 2 | 370/392.ccls. and direct \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID"))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:48 |
| L9 | 1 | 370/252.ccls. and direct \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID"))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:48 |
| L10 | 6 | 710/5.ccls. and direct \$3 with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID"))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:52 |
| L11 | 1755 | 710/5.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:52 |

| | | | | | | |
|-----|-------|---|---|----|-----|---------------------|
| L12 | 17259 | 710/5.ccls. ("(OX_ID)" or "(RX_ID)") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:53 |
| L13 | 3 | 710/5.ccls. and ("(OX_ID)" or "(RX_ID)") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:54 |
| L14 | 19 | h04j1/16.ipc. and (switch and san and scsi and (fibre near channel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:56 |
| L15 | 0 | 14 and "ox_id" and "rx_id" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 15:57 |
| L16 | 148 | 14 and "ox_id" or "rx_id" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 15:57 |
| L17 | 0 | 14 and ("(OX_ID)" or "(RX_ID)") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:57 |
| L18 | 1 | 370/230.ccls. and header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID)" or "(RX_ID)") with (sequence\$3 or track \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 15:58 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| L19 | 6705 | 370/252.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 15:59 |
| L20 | 3184 | 370/230.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 16:00 |
| L21 | 86 | "XFER" near "RDY" | USPAT | OR | OFF | 2010/07/23 16:00 |
| L22 | 148 | 21 and "ox_id" or "rx_id" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 16:01 |
| L23 | 11 | 21 and "ox_id" and "rx_id" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 16:01 |
| L24 | 22 | 23 and "ox_id" or "rx_id" with table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:02 |
| L25 | 4 | 23 and ("ox_id" or "rx_id") with table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:02 |
| L26 | 4 | 23 and "rx_id" with table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:03 |

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| L27 | 17 | "709"/\$.ccls. and header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID")) with (sequence\$3 or track \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:09 |
| L28 | 0 | 711/6.ccls. and header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID")) with (sequence\$3 or track \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:10 |
| L29 | 13 | "711"/\$.ccls. and header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID")) with (sequence\$3 or track \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:10 |
| L30 | 5 | 29 and "XFER" near "RDY" | USPAT | OR | ON | 2010/07/23 16:10 |
| L31 | 2369 | 711/114.ccls. | USPAT | OR | ON | 2010/07/23 16:14 |
| L32 | 11 | 711/114.ccls. and header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID")) with (sequence\$3 or track \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:15 |

| | | | | | | |
|-----|-----|---|---|------|-----|---------------------|
| L33 | 13 | "711"/\$.cls. and header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID")) with (sequence\$3 or track \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:15 |
| L34 | 17 | "709"/\$.cls. and header with (((originator or exchange) near (identifier or id)) and ((receiver or exchange) near (identifier or id))) or (("OX_ID" or "RX_ID")) with (sequence\$3 or track \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:16 |
| L35 | 2 | "20050117522" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:28 |
| L36 | 140 | satish ambati.in. or magesh iyengar.in. or dinesh dutt.in. or silvano gai.in. or varagur chandrasekaran.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2010/07/23 16:28 |
| L37 | 2 | 36 and ("ox_id" or "rx_id") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 16:29 |
| L38 | 0 | 26 and 36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 16:31 |
| L39 | 0 | 37 and "rx_id" with table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:32 |

| | | | | | | |
|-----|---|---|---|----|-----|---------------------|
| L40 | 2 | 37 and table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/23 16:33 |
| L41 | 0 | 36 and ("ox_id" or "rx_id") with table | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/07/23 16:34 |

7/ 23/ 2010 4:50:29 PM

C:\ Documents and Settings\ eunelus\ My Documents\ EAST\ Workspaces
\ 10726269updated3.wsp